

CRETE COLORS INTERNATIONAL

8380 South Kyrene Road, Suite 107 Tempe, AZ 85284 USA

Tel: +1-480-426-0424 Fax: +1-480-499-5550

www.cretecolors.com

CERTIFICATE OF ANALYSIS

Product Name: C² Seal

Product Code: C2S-200

Certificate Number: 500-003


Date of Certificate: August 8, 2016

	Results	Test Method
Appearance	Milky, White Liquid	Visual
Specific Gravity	1.11	ASTM D1475-13
Total Solids	22%	ASTM D2369-10e1 ASTM D5095-13
pH	11.00	ASTM E70-07
WT/GAL	9.2 LBS	ASTM D1475-13
Flash Point	NA	ASTM D3278-11
Freeze Point	0C (32F)	Visual ASTM D2243-08
VOC Content	<100g/L	ASTM D3960-2013 EPA Method 24
Shelf Life	1 year in properly stored, unopened, factory sealed container	NA

This product is certified to meet the above requirements.

Bogdan W. Sencyle
CEO

CRETE COLORS
INTERNATIONAL

**CRETE COLORS INTERNATIONAL**

8380 South Kyrene Road, Suite 107 Chandler, AZ 85284 USA

Tel: +1-480-426-0424 Fax: +1-480-499-5550


www.cretecolors.com**CERTIFICATE OF ANALYSIS****Product Name: C² Super Hard****Product Code: C2SH-200****Certificate Number: 500-002****Date of Certificate: August 8, 2016**

	Results	Test Method
Appearance	Clear, water-like liquid	Visual
Specific Gravity	1.10	ASTM D1475-13
Total Solids	14.5%	ASTM D2369-10e1 ASTM D5095-13
pH	11.00	ASTM E70-07
WT/GAL	9.2 LBS	ASTM D1475-13
Flash Point	Non Flammable	ASTM D3278-11
Freeze Point	0C (32F)	Visual ASTM D2243-08
VOC Content	<20g/L	ASTM D3960-2013 EPA Method 24
Shelf Life	2 years in properly stored, unopened, factory sealed container	NA

This product is certified to meet the above requirements.

Bogdan W. Sencyle
CEO

CRETE COLORS
INTERNATIONAL

**CRETE COLORS INTERNATIONAL**

8380 South Kyrene Road, Suite 107 Tempe, AZ 85284 USA

Tel: +1-480-426-0424 Fax: +1-480-499-5550


www.cretecolors.com**CERTIFICATE OF ANALYSIS****Product Name: C² Ultra Seal****Product Code: C2US-200****Certificate Number: 500-014****Date of Certificate: August 8, 2016**

	Results	Test Method
Appearance	Milky white liquid	Visual
Specific Gravity	1.01	ASTM D1475-13
Total Solids	15%	ASTM D2369-10e1 ASTM D5095-13
pH	8.4	ASTM E70-07
WT/GAL	8.5 LBS	ASTM D1475-13
Flash Point	>93C (200F)	ASTM D3278-11
Freeze Point	0C (32F)	Visual ASTM D2243-08
VOC Content	100 g/L Max.	ASTM D3960-2013 EPA Method 24
Shelf Life	1 year in properly stored, unopened, factory sealed container	NA

This product is certified to meet the above requirements.

Bogdan W. Sencyle
CEO

CRETE COLORS
INTERNATIONAL

**CRETE COLORS INTERNATIONAL**

8380 South Kyrene Road, Suite 107 Tempe, AZ 85284 USA

Tel: +1-480-426-0424 Fax: +1-480-499-5550

www.cretecolors.com**CERTIFICATE OF ANALYSIS****Product Name: C² Clean****Product Code: C2C-20****Certificate Number: 500-010****Date of Certificate: August 8, 2016**

	Results	Test Method
Appearance	Clear green liquid	Visual
Specific Gravity	1.07	ASTM D1475-13
Total Solids	NA	ASTM D2369-10e1 ASTM D5095-13
pH	10.5 Typ. Rinse water 7.8 – 8.2	ASTM E70-07
WT/GAL	8.9 LBS	ASTM D1475-13
Flash Point	93C (200F) ASTM D 3278	ASTM D3278-11
Freeze Point	0C (32F)	Visual ASTM D2243-08
VOC Content	NA	ASTM D3960-2013 EPA Method 24
Shelf Life	3 years in properly stored, unopened, factory sealed container	NA

This product is certified to meet the above requirements.

CEO

CRETE COLORS
INTERNATIONAL

**CRETE COLORS INTERNATIONAL**

8380 South Kyrene Road, Suite 107 Tempe, AZ 85284 USA

Tel: +1-480-426-0424 Fax: +1-480-499-5550


www.cretecolors.com**CERTIFICATE OF ANALYSIS****Product Name: C² Dura Seal****Product Code: C2DS-200****Certificate Number: 500-015****Date of Certificate: August 8, 2016**

	Results	Test Method
Appearance	Milky white liquid	Visual
Specific Gravity	1.01	ASTM D1475-13
Total Solids	15%	ASTM D2369-10e1 ASTM D5095-13
pH	8.4	ASTM E70-07
WT/GAL	8.5 LBS	ASTM D1475-13
Flash Point	>93C (200F)	ASTM D3278-11
Freeze Point	0C (32F)	Visual ASTM D2243-08
VOC Content	100 g/L Max.	ASTM D3960-2013 EPA Method 24
Shelf Life	1 year in properly stored, unopened, factory sealed container	NA

This product is certified to meet the above requirements.

Bogdan W. Sencyle
CEO

CRETE COLORS
INTERNATIONAL

**CRETE COLORS INTERNATIONAL**

8380 South Kyrene Road, Suite 107 Tempe, AZ 85284 USA

Tel: +1-480-426-0424 Fax: +1-480-499-5550


www.cretecolors.com**CERTIFICATE OF ANALYSIS****Product Name: C² Hard Blend****Product Code: C2HB-200****Certificate Number: 500-015****Date of Certificate: August 8, 2016**

	Results	Test Method
Appearance	Clear, water-like liquid	Visual
Specific Gravity	1.10	ASTM D1475-13
Total Solids	14.0%	ASTM D2369-10e1 ASTM D5095-13
pH	11.5	ASTM E70-07
WT/GAL	9.2 LBS	ASTM D1475-13
Flash Point	Non Flammable	ASTM D3278-11
Freeze Point	0C (32F)	Visual ASTM D2243-08
VOC Content	0g/L	ASTM D3960-2013 EPA Method 24
Shelf Life	2 years in properly stored, unopened, factory sealed container	NA

This product is certified to meet the above requirements.

CEO

CRETE COLORS
INTERNATIONAL

**CRETE COLORS INTERNATIONAL**

8380 South Kyrene Road, Suite 107 Tempe, AZ 85284 USA

Tel: +1-480-426-0424 Fax: +1-480-499-5550


www.cretecolors.com**CERTIFICATE OF ANALYSIS****Product Name: C² Hard****Product Code: C2H-200****Certificate Number: 500-001****Date of Certificate: August 8, 2016**

	Results	Test Method
Appearance	Clear, water-like liquid	Visual
Specific Gravity	1.05	ASTM D1475-13
Total Solids	6.0%	ASTM D2369-10e1 ASTM D5095-13
pH	11.00	ASTM E70-07
WT/GAL	8.6 LBS	ASTM D1475-13
Flash Point	Non Flammable	ASTM D3278-11
Freeze Point	0C (32F)	Visual ASTM D2243-08
VOC Content	<20g/L	ASTM D3960-2013 EPA Method 24
Shelf Life	2 years in properly stored, unopened, factory sealed container	NA

This product is certified to meet the above requirements.

CEO

CRETE COLORS
INTERNATIONAL

**CRETE COLORS INTERNATIONAL**

8380 South Kyrene Road, Suite 107 Tempe, AZ 85284 USA

Tel: +1-480-426-0424 Fax: +1-480-499-5550


www.cretecolors.com**CERTIFICATE OF ANALYSIS****Product Name: C² Maintenance****Product Code: C2M-20****Certificate Number: 500-006****Date of Certificate: August 8, 2016**

	Results	Test Method
Appearance	Clear Liquid, Soapy Odor	Visual
Specific Gravity	1.00	ASTM D1475-13
Total Solids	NA	ASTM D2369-10e1 ASTM D5095-13
pH	9.87	ASTM E70-07
WT/GAL	8.38 LBS	ASTM D1475-13
Flash Point	93C (200F) ASTM D 3278	ASTM D3278-11
Freeze Point	NA	Visual ASTM D2243-08
VOC Content	<1%	ASTM D3960-2013 EPA Method 24
Shelf Life	2 years in properly stored, unopened, factory sealed container	NA

This product is certified to meet the above requirements.

Bogdan W. Szwed
CEO

CRETE COLORS
INTERNATIONAL

**CRETE COLORS INTERNATIONAL**

8380 South Kyrene Road, Suite 107 Tempe, AZ 85284 USA

Tel: +1-480-426-0424 Fax: +1-480-499-5550

www.cretecolors.com**CERTIFICATE OF ANALYSIS****Product Name: C² Salt Hard+****Product Code: C2STH-200****Certificate Number: 500-020****Date of Certificate: August 8, 2016**

	Results	Test Method
Appearance	White, Opaque Liquid, Low Odor	Visual
Specific Gravity	0.96 (concentrate)	ASTM D1475-13
Total Solids	42% (concentrate)	ASTM D2369-10e1 ASTM D5095-13
pH	7-8 (concentrate)	ASTM E70-07
WT/GAL	7.99 LBS (concentrate)	ASTM D1475-13
Flash Point	> 100C (212F)	ASTM D3278-11
Freeze Point	0C (32F)	Visual ASTM D2243-08
VOC Content	<25g/L (diluted)	ASTM D3960-2013 EPA Method 24
Shelf Life	1 year in properly stored, unopened, factory sealed container	NA

This product is certified to meet the above requirements.

Bogdan W. Sencylef
CEO

CRETE COLORS
INTERNATIONAL