AUTEX GreenStuf® Premium Acoustic Insulation



GreenTag GreenRate Level A Certified Range - Green Building Summary Sheet -



Product Name AUTEX GreenStuf® premium acoustic insulation (GreenTag GreenRate Level A certified)

Document Type Green Building Rating Compatibility Analysis

Document Code ES-GSNZ-12-03b

Client Autex

Autex GreenStuf® is a NZ made range of quality 100% polyester thermal insulation. GreenStuf® is non-irritant, non-toxic and thermally efficient insulation for residential, commercial and industrial applications. Manufactured using a minimum of 45% already recycled fibre (from PET plastic) and is completely recyclable and manufactured under a "zero waste policy" where off-cuts and waste are recycled back into the production process.



	Green Star Design & As Built NZ (V1)	Credit 21	Sustainability Factor (SF) = 1
	Green Star Interiors NZ (V1)	Credit 21	Sustainability Factor (SF) = 1
greenstar	Green Star Performance NZ (V1)	Credit 21	1 point
	Green Star NZ (V3)	MAT 3	Criteria A – up to 1 point
	Office / Industrial / Interiors `+ Education V3.1	EM-3	1 point
	Homestar V4	EHC 1 EHC 4	Contribution potential Up to 2 points
	Homesial V4	MAT 1	2 points (out of 2 points available for insulation)
nomestar **	I IOITOSEI VY		2 points (out of 2 points available for insulation)
	WELL Building Standard® V1		2 points (out of 2 points available for insulation) Complies
homestar INTERNATIONAL WELL BUILDING INSTITUTE	WELL Building Standard®	MAT 1	2 points (out of 2 points available for insulation)
INTERNATIONAL	WELL Building Standard® V1 WELL Building Standard®	MAT 1 Feature 04	2 points (out of 2 points available for insulation) Complies
INTERNATIONAL	WELL Building Standard® V1 WELL Building Standard®	MAT 1 Feature 04	2 points (out of 2 points available for insulation) Complies
INTERNATIONAL	WELL Building Standard® V1 WELL Building Standard® V2 Living Building Challenge	Feature 04 Feature X11 Imperative 8 Imperative 10	2 points (out of 2 points available for insulation) Complies Pass Pass
INTERNATIONAL WELL BUILDING INSTITUTE**	WELL Building Standard® V1 WELL Building Standard® V2	Feature 04 Feature X11 Imperative 8 Imperative 10 Imperative 12	2 points (out of 2 points available for insulation) Complies Pass Pass Pass Pass
INTERNATIONAL WELL BUILDING INSTITUTE** LIVING	WELL Building Standard® V1 WELL Building Standard® V2 Living Building Challenge	Feature 04 Feature X11 Imperative 8 Imperative 10 Imperative 12 Imperative 13	2 points (out of 2 points available for insulation) Complies Pass Pass Pass Pass Pass Pass
INTERNATIONAL WELL BUILDING INSTITUTE**	WELL Building Standard® V1 WELL Building Standard® V2 Living Building Challenge V3	Feature 04 Feature X11 Imperative 8 Imperative 10 Imperative 12 Imperative 13 Imperative 10	2 points (out of 2 points available for insulation) Complies Pass Pass Pass Pass Pass Pass Pass
INTERNATIONAL WELL BUILDING INSTITUTE LIVING BUILDING	WELL Building Standard® V1 WELL Building Standard® V2 Living Building Challenge	Feature 04 Feature X11 Imperative 8 Imperative 10 Imperative 12 Imperative 13	2 points (out of 2 points available for insulation) Complies Pass Pass Pass Pass Pass Pass

AUTEX GreenStuf® Premium Acoustic Insulation



GreenTag GreenRate Level A Certified Range - Green Building Summary Sheet -



Manner in which the product may contribute towards points	Legend of Symbols in EnviroSpec
Products must meet specific criteria (e.g. Paint VOC emissions, carpets, etc)	-
Products may help achieve points by their very nature, if they are specified and installed (e.g. bicycle racks)	•
Products may help achieve an outcome but they must be used in a specific manner (e.g. lighting control and zoning systems) OR The nominated product(s) can contribute towards the outcome but many other products or factor influence that same outcome (E.g. Potable Water Calculator)	0

Disclaimer - Please read this carefully

Each Building Environmental Rating Tool and Scheme nominated herein is owned and operated by its respective operative organisation, independently of EnviroSpec Ltd., and EnviroSpec Ltd. equally operates independently of any nominated rating scheme. The information represented on EnviroSpec is not endorsed by any of these organisations in a direct manner and any decision regarding final approval or refusal of points and certifications where the nominated product(s) is used is at the final discretion of the respective owners and operators of the nominated Building Environmental Rating Schemes, and any network of assessors or auditors that are accredited to operate under their assessment structure, in accordance with all associated technical manuals, rules and guidelines. For detailed technical information about each Building Environmental Rating Scheme and product related criteria please refer to the appropriate technical manuals. EnviroSpec does not accept liability for any loss or damages resulting from the use of this document and emphasizes that this document is provided as guidance only, Use of, or reliance upon, any information contained in this report is at the user's own risk. The information presented in this report is valid for the Building Environmental Rating Schemes and Tools nominated herein only. As and when the respective owners and operators publish updates or new standards or guidelines, the information may require updating. EnviroSpec Ltd. will only update information in this report upon receiving written consent from the Manufacturer, Supplier or upon request from an operative organisation of one of the Building Environmental Rating Tools nominated herein. It is the responsibility of the reader to check for regular updates.

AUTEX GreenStuf® Premium Acoustic Insulation GreenTag GreenRate Level A Certified Range - Green Building Summary Sheet -





Rating Tool	Credit / category	Points available	Requirements	Contribution symbol	Contribution Potential	Details of compliance
Green Star Design & As Built NZ (V1)	Credit 21	3	This credit rewards the selection of products that meet transparency and sustainability requirements. Points are awarded based on the Project Sustainability Value (PSV*) and comparing it with the Project Contract Value (PCV). Benchmarks are: - 1 point is awarded if PSV > 3% of PCV - 1 point is awarded if PSV > 6% of PCV - 1 point is awarded if PSV > 9% of PCV The Project Sustainability Value is the sum of all the compliant product's "Product Sustainability Value" (PSV). The PSV = Sustainability Factor x cost of product	✓	Sustainability Factor (SF) = 1	This product falls under the category of "All other products or materials used in a project which could potentially have a 'Transparency or Sustainability Initiative'. This insulation product holds a level A approved eco-label, therefore the Product Sustainability Value (PSV) can be calculated as: "Product Cost x 1".
		I			I	
Green Star Interiors NZ (V1)	Credit 21	19	This credit rewards the selection of products that meet transparency and sustainability requirements. Points are awarded based on the Project Sustainability Value (PSV*) and comparing it with the Total Materials Cost (TMC). Benchmarks are: - 3.8 points are awarded if PSV > 20% of TMC - 7.2 points are awarded if PSV > 40% of TMC - 11.4 points are awarded if PSV > 60% of TMC - 15.2 points are awarded if PSV > 80% of TMC - 19 points are awarded if PSV = 100% of TMC The Project Sustainability Value is the sum of all the compliant product's "Product Sustainability Value" (PSV). The PSV = Sustainability Factor x cost of product	✓	Sustainability Factor (SF) = 1	This product falls under the category of "All other products or materials used in a project which could potentially have a 'Transparency or Sustainability Initiative'. This insulation product holds a level A approved eco-label, therefore the Product Sustainability Value (PSV) can be calculated as: "Product Cost x 1".
Green Star Performance NZ (V1)	Credit 21	3	This credit rewards the measurement and reduction of the environmental impacts of materials in building operations, maintenance and upgrades. Benchmarks are: - 1 point is awarded for developing a sustainable procurement framework - 1 point is awarded where the top 3 consumable materials are purchased in accordance with the procurement framework - 1 point is awarded where refurbishment and maintenance materials are purchased in accordance with the procurement framework. Refurbishment materials - This includes at a minimum: - Paints adhesives, sealants and carpets (to comply with Green Star V3 "Low emitting materials"), - Concrete (to comply with Green Star V3 "Concrete and Aggregate"), - Steel (to comply with Green Star V3 "Steel"). * Note: This credit can, if desired, be extended to include doors, wall finishes and paneling, wall and roof insulation, carpet, floor tiles, ceiling tiles, light fixtures and any other building component owned by the building owner (e.g. roof replacement, built in furniture and joinery, etc) This only applies if the refurbishment work is > \$5/m2, otherwise the credit is deemed N/A	•	1 point	For materials credits in Green Star Performance, if the specific requirement is not covered in the submission guidelines, the project should refer to the GS Design & As Built for reference. This insulation product holds a level A approved eco-label, and therefore can be included as a compliant refurbishment material.

AUTEX GreenStuf® Premium Acoustic Insulation GreenTag GreenRate Level A Certified Range - Green Building Summary Sheet -





Rating Tool	Credit / category	Points available	Requirements	Contribution symbol	Contribution Potential	Details of compliance
	EHC-1	20	This credit rewards the good thermal performance of the overall building design, encompassing insulation, glazing, orientation, ventilation and massing.	o	Contribution potential	In instances where acoustic insulation might be used as part of the thermal envelope (for example a wall between apartment and an un-conditioned corridor), acoustic insulation can be factored into the thermal calculations for the property.
	EHC-4	5	This credit rewards measures that reduce condensation on and within building components to improve the indoor environment for occupants.	0	Up to 2 points	Provided there is no thermal bridging in the design from steel or concrete elements (or that these thermal bridges are isolated with insulation) then the nominated products can help achieve the minimum construction system R values required for Homestar.
Homestar V4	MAT-1	10	This credit rewards the use of eco-preferred and responsibly sourced materials. Insulation products are one of thirteen possible material categories eligible for 2 points each.	•	2 points (out of 2 points available for insulation)	The nominated product has Level A approved eco label certification, contributing to 2 points (unweighted in the calculator), thus satisfying the requirement of this credit. This product has low VOC emissions, contributing 1 point. Note: All Autex GreenStuf products are manufactured in the same manner as a Level A approved eco label certification. In accordance with the Technical Questions (TQ) document published on the New Zealand Green Building Council (NZGBC) website to date, the lower R-value versions of GreenStuf thermal insulation may also contribute towards points.
WELL Building Standard® V1	Feature 04	Pass/Fail	Any newly installed items from the below product groups must meet prescribed low emissions criteria and/or equivalencies. PART 1: Interior Paints and Coatings PART 2: Interior Adhesives and Sealants PART 3: Flooring PART 4: Insulation (excluding duct insulation) PART 5: Furniture and Furnishings For detailed compliance criteria and acceptable equivalencies please refer to WELL V1 Standard	✓	Pass	This insulation product holds GreenTag GreenRate level A certification, which has been approved by IWBI as an acceptable equivalency to demonstrate compliance with this feature.
WELL Building Standard® V2	Feature X11	3	PART 1: Furniture and Furnishings • 1 point is available if >50% by cost of newly installed furniture and furnishings meet VOC emission thresholds. • 2 points are available if >90% by cost of newly installed furniture and furnishings meet VOC emission thresholds. PART 2: Flooring and Insulation • 1 point is available if all newly installed flooring and thermal and accustic insulation (excluding duct insulation) inside the building meet the following VOC emission thresholds. For detailed compliance criteria and acceptable equivalencies please refer to WELL V2 Standard	✓	Pass	This insulation product holds GreenTag GreenRate level A certification, which has been approved by IWBI as an acceptable equivalency to demonstrate compliance with this feature.

AUTEX GreenStuf® Premium Acoustic Insulation GreenTag GreenRate Level A Certified Range - Green Building Summary Sheet -





Living Building Challenge V3	Imperative 8	Pass/Fail	Projects must create a Healthy Interior Environment Plan nominating: Compliance with the current version of ASHRAE 62, or international equivalent Smoking must be prohibited within the project boundary Results from an Indoor Air Quality test before and nine months after occupancy Compliance with the CDPH Standard Method v1.1-2010 (or international equivalent) for all interior building products that have the potential to emit VOCs Dedicated exhaust systems for kitchens, bathrooms, and janitorial areas An entry approach that reduces particulates tracked in through shoes An outline of a cleaning protocol that uses cleaning products that comply with the EPA Design for the Environment label (or international equivalent)	•	Pass	The nominated product(s) have been tested and shown to comply with the CDPH Standard Method v1.1-2010 (or international equivalent) Compliance with this imperative is dependent on the other requirements of the imperative also being achieved.
	Imperative 10	Pass/Fail	This imperative restricts the use of products that contain Red List chemicals as nominated by the Living Building Challenge.	1	Pass	The nominated product(s) meet the requirements.
	Imperative 12	Pass/Fail	This imperative encourages responsible industry when sourcing product and materials by rewarding the use of FSC certified timber and/or products that have Declare ingredients label.	1	Pass	The nominated product(s) holds a valid Declare label.
	Imperative 13	Pass/Fail	This imperative encourages local sourcing of materials to help sustain the local economy and reduce transportation cost. Only 25% of all materials by cost (materials construction budget) can come from any location, with the remaining having to adhere to distance sourcing restrictions.	1	Pass	The nominated product(s) manufacturing plant is located in Auckland, New Zealand.
Living Building Challenge V4	Imperative 10	Pass/Fail	This imperative focusses on IAQ. Projects must: Provide the results from an IAQ test, or readings from an approved continuous IAQ monitor system. >90% of potentially VOC emitting interior building products must comply with CDPH Standard Method v1.1-2010 (or international equivalent) Implement a cleaning protocol that uses cleaning products that comply with the EPA Safer Choice label (or international equivalent) In addition, all projects must provide 95% of occupants access to views and daylight, with at least two of the following: Sufficient operable windows to provide natural ventilation for at least six months of the year. Ability for the occupants to influence their local airflow and temperature through direct input or controls. Flexible options for working and learning such as sit/stand options.	•	Pass	The nominated product(s) have been tested and shown to comply with the CDPH Standard Method v1.1-2010 (or international equivalent) Compliance with this imperative is dependent on the other requirements of the imperative also being achieved.
	Imperative 13	Pass/Fail	This imperative restricts the use of products that contain Red List chemicals as nominated by the Living Building Challenge.	1	Pass	The nominated product(s) meet the requirements.
	Imperative 14	Pass/Fail	This imperative encourages responsible industry when sourcing product and materials by rewarding the use of FSC certified timber and/or products that have Declare ingredients label.	~	Pass	The nominated product(s) hold a valid Declare label.
	Imperative 15	Pass/Fail	This imperative encourages local sourcing of materials to help sustain the local economy and reduce transportation cost. Only 25% of all materials by cost (materials construction budget) can come from any location, with the remaining having to adhere to distance sourcing restrictions.	~	Pass	The nominated product(s) manufacturing plant is located in Auckland, New Zealand.

AUTEX GreenStuf® Premium Acoustic Insulation



GreenTag GreenRate Level A Certified Range - Green Building Summary Sheet -



LEGACY GREEN STAR NZ TOOLS

Tool	Credit category	Points available	Requirements	Contribution symbol	Contribution Potential	Details of compliance
Green Star NZ Office V3.0 + Education V3.1 + Industrial V3.0 + Interiors V3	MAT-3	5	This credit rewards up to 5 points in total. CRITERIA A • Up to 3 points are allocated for the use of Environmentally preferable products (including Applied coatings, Insulation, Flooring, Internal walls and partitions). Each product type is worth up to 1 point. Benchmarks are: - 0.5 points are awarded if > 50% of a selected product type complies - 1 point is awarded if > 90% of a selected product type complies. CRITERIA B Up to 2 further points are allocated if "common uses of PVC" (including flooring and resilient wall coverings, pipes, wires and blinds) meet the GBCA Best Practice Guidelines or are PVC-free. 1 point is awarded if > 60% by cost complies and 2 points are awarded if > 90% by cost complies	✓	Up to1 point	CRITERIA A. The nominated product has Level A approved eco label certification, contributing to up to 1 point (unweighted in the calculator.) Note: the remaining points in criteria A are achieved if the other product types also comply.
Green Star NZ Office V3.0 + Education V3.1 + Industrial V3.0 + Interiors V3	EMI-3	1	This credit rewards the use of Insulation products that contain no Ozone Depleting Substances in their content or manufacture.	•	1 point	The nominated product satisfies this criteria.