



Foreno RT01.1 Sink Mixer

- Green Building Summary Sheet -



Author
EnviroSpec Verification Services

Document Type
Green Building Rating Compatibility Analysis

Document Code
ES-GSNZ-14-82c

Validity			
 <p>Office 2009 + V3 ✓ Interiors 2009 + V3 ✓ Education 2009 + V3 + V3.1 ✓ Industrial 2009 + V3 ✓</p>	 <p>Homestar (V2 + V3) ✓</p>	 <p>(not assessed) -</p>	 <p>(not assessed) -</p>

Client
Foreno

Product Name
RT01.1-E Sink Mixer (mains pressure only)

Product Description	
<p>E Series 4.5 Sink Mixer</p> <ul style="list-style-type: none"> • 35mm Cartridge with German ceramics • Min. Pressure 150 kPa / Max Pressure 500 kPa • Max Temp. 65 Deg Cel. • Requires 35mm Bench Top Hole • Swivel Spout • 15mm Flexi Hose Couplings • Flow Rate 4.0L/min 	

Manner in which the product may contribute towards points	Legend of Symbols in EnviroSpec
Products must meet specific criteria (e.g. Paint VOC emissions, carpets, etc)	✓
Products may help achieve points by their very nature, if they are specified and installed (e.g. bicycle racks)	●
Products may help achieve an outcome but they must be used in a specific manner (e.g. lighting control and zoning systems) OR This product can contribute towards the outcome but many other products or factor influence that same outcome (E.g. Potable Water Calculator)	○

Disclaimer - Please read this carefully
 Each Building Environmental Rating Tool and Scheme nominated herein is owned and operated by its respective operative organisation, independently of EnviroSpec Ltd., and EnviroSpec Ltd. equally operates independently of any nominated rating scheme. The information represented on EnviroSpec is not endorsed by any of these organisations in a direct manner and any decision regarding final approval or refusal of points and certifications where the nominated product is used is at the final discretion of the respective owners and operators of the nominated Building Environmental Rating Schemes, and any network of assessors or auditors that are accredited to operate under their assessment structure, in accordance with all associated technical manuals, rules and guidelines. For detailed technical information about each Building Environmental Rating Schemes and product related criteria please refer to the appropriate technical manuals. EnviroSpec does not accept liability for any loss or damages resulting from the use of this document and emphasizes that this document is provided as guidance only, Use of, or reliance upon, any information contained in this report is at the user's own risk. The information presented in this report is valid for the Building Environmental Rating Schemes and Tools nominated herein only. As and when the respective owners and operators publish updates or new tools, the information may require updating. EnviroSpec Ltd. will only update information in this report upon receiving written consent from the Manufacturer, Supplier or upon request from an operative organisation of one of the Building Environmental Rating Tools nominated herein. **It is the responsibility of the reader to check for regular updates.**



Foreno RT01.1 Sink Mixer

- Green Building Summary Sheet -



Tool	Credit category	Points available	Requirements	Contribution symbol	Contribution Potential	Details of compliance
Green Star NZ Office 2009 + Education 2009 + V3	WAT-1	7	This credit rewards the use of low water consuming fixtures/fittings and promotes the use of greywater or rainwater collection systems. This is determined using the Potable Water Calculator.	○	Contribution potential	The nominated product will assist in obtaining a good calculator score as it is low flow. Additional points are awarded where water based heat rejection systems use 90% non-potable water or are absent from the building altogether.
Green Star NZ Interiors 2009	WAT-1	2	This credit rewards the use of low water consuming fixtures/fittings and promotes the use of greywater or rainwater collection systems. This is determined using the Potable Water Calculator.	○	Contribution potential	The nominated product will assist in obtaining a good calculator score as it is low flow.
Green Star NZ Industrial 2009	WAT-1	5	This credit rewards the use of low water consuming fixtures/fittings and promotes the use of greywater or rainwater collection systems. This is determined using the Potable Water Calculator.	○	Contribution potential	The nominated product will assist in obtaining a good calculator score as it is low flow.
Green Star NZ Office V3 + Education V3.1 + Industrial V3	WAT-1	10	1 point is awarded where: 90% of fixtures and fittings are within 1 star of the best WELS ratings OR 2 points are awarded where 90% of fixtures and fittings are the best WELS ratings or above.	☑	2 Points (out of 2 available for fixtures and fittings)	The nominated product has 6 star WELS rating therefore contributes towards 2 points unweighted in the WAT calculator.
Interiors V3	WAT-1	2	1 point is awarded where: 90% of fixtures and fittings are within 1 star of the best WELS ratings OR 2 points are awarded where 90% of fixtures and fittings are the best WELS ratings or above.	☑	2 Points (out of 2 available for fixtures and fittings)	The nominated product has 6 star WELS rating therefore contributes towards 2 points unweighted in the WAT calculator.
Homestar (V2 + V3)	WAT-2	6	This credit rewards the use of water conserving toilets, taps, showers and washing machines	☑	1 point (out of 1 point available for tapware)	The nominated product is 6 star WELS rated (mains pressure) contributing 1 point.
Living Building Challenge		Pass/Fail	Not assessed against this criteria	-	-	N/A
SBN Circular Economy Office Model V1.1		Pass/Fail	Not assessed against this criteria	-	-	N/A