

GreenStuf® Acoustic and Thermal Insulation Product Range by Autex Industries Ltd

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21633

CLASSIFICATION: 07 21 00 Thermal Insulation

PRODUCT DESCRIPTION: GreenStuf® acoustic and thermal insulation products are made from PET material. Some GreenStuf insulation products are supplied with a fabric or foil facing.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided
for Residuals/Impurities?

- Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No
*All substances screened using Priority Hazard Lists with
results disclosed.*

Identified Yes Ex/SC Yes No
*All substances disclosed by Name (Specific or Generic) and
Identifier.*

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

[MATERIAL](#) | [SUBSTANCE](#) | [RESIDUAL OR IMPURITY](#)
[GREENSCREEN SCORE](#) | [HAZARD TYPE](#)

GREENSTUF® ACOUSTIC AND THERMAL INSULATION PRODUCT RANGE

[[POLYETHYLENE TEREPHTHALATE \(PET\)](#) [LT-UNK](#) [POLYETHYLENE](#) [LT-UNK](#) [ALUMINUM](#) [BM-1](#) | [RES](#) | [PHY](#) | [END TITANIUM DIOXIDE](#) [LT-1](#) | [CAN](#) | [END CARBON BLACK](#) [BM-1](#) | [CAN](#) [ULTRAMARINE \(PIGMENT\)](#) [LT-UNK](#) [ALUMINUM HYDROXIDE, DRIED](#) [BM-2](#) [SILICON DIOXIDE](#) [BM-1](#) | [CAN](#) [WATER](#) [BM-4](#) [POLYOXYL 35 CASTOR OIL](#) [LT-UNK](#) [POLYOXYETHYLENE MONOLEATE](#) [LT-UNK](#) [GLYCERYL MONOSTEARATE](#) [LT-UNK](#) [MAGNESIUM ALUMINUM HYDROXIDE CARBONATE](#) [LT-UNK](#) [2,2'-\(VINYLENE\)DI-4-PHENYLENE\)BIS\(BENZOXAZOLE\)](#) [BM-1](#) [MACROGOL](#) [LT-UNK](#) [1-TRIDECANOL, DIHYDROGEN PHOSPHATE, DIPOTASSIUM SALT](#) [NoGS](#) [1-OCTADECANOL, PHOSPHATE, POTASSIUM SALT](#) [LT-UNK](#) [C12-14 SEC-PARETH-7](#) [LT-P1](#) [SILOXANES AND SILICONES, 3-\(\(2-AMINOETHYL\)AMINO\)PROPYL ME, DI-ME, HYDROXY-TERMINATED](#) [NoGS](#)]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen
Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) -
Classroom & Office scenario

Multi-attribute: GreenTag 3.1 - Gold - GreenRate Level A

Multi-attribute: ILFI Declare - Red List Free

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

Yes

No

PREPARER: **Self-Prepared**

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-09-06

PUBLISHED DATE: 2020-09-06

EXPIRY DATE: 2023-09-06



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

GREENSTUF® ACOUSTIC AND THERMAL INSULATION PRODUCT RANGE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities declared on suppliers' safety data sheets

OTHER PRODUCT NOTES:

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-06

#: 93.0000 - 99.0000

GS: LT-UNK

RC: PostC

NANO: No

SUBSTANCE ROLE: Textile component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: PET fibres in GreenStuf contain a minimum of 50% post-consumer recycled PET (from PET bottle-flakes)

POLYETHYLENE

ID: 9002-88-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-06

#: 0.0000 - 5.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Adhesive

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-06

#: 0.0000 - 2.0000

GS: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Reflectance

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagens (Rs) - sensitizer-induced
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Aluminium material is in the form of a foil sheet. Hazard warnings do not apply to aluminium in this form.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-06**

#: **0.0000 - 1.0000**

GS: **LT-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Hazard warnings do not apply as the substance is bound within the fibre.

CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-06**

#: **0.0000 - 1.0000**

GS: **BM-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Hazard warnings do not apply as the substance is bound within the fibre.

ULTRAMARINE (PIGMENT)

ID: 57455-37-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-06**%: **0.0000 - 1.0000**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Pigment**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

ALUMINUM HYDROXIDE, DRIED

ID: 21645-51-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-06**%: **0.0000 - 1.0000**GS: **BM-2**RC: **None**NANO: **No**SUBSTANCE ROLE: **Pigment**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hazard warnings do not apply as the substance is bound within the fibre.

SILICON DIOXIDE

ID: 7631-86-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-06**%: **0.0000 - 1.0000**GS: **BM-1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Pigment**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

GHS - Japan

Carcinogenicity - Category 1A [H350]

CANCER

GHS - Australia

H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Hazard warnings do not apply as the substance is bound within the fibre.

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-06**%: **0.0000 - 1.0000**GS: **BM-4**RC: **None**NANO: **No**SUBSTANCE ROLE: **Lubricant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is a component of finishing oil.

POLYOXYL 35 CASTOR OIL

ID: 61791-12-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-06**

%: **0.0000 - 1.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Lubricant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **This substance is a component of finishing oil.**

POLYOXYETHYLENE MONOLEATE

ID: **9004-96-0**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-06**

%: **0.0000 - 1.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Lubricant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **This substance is a component of finishing oil.**

GLYCERYL MONOSTEARATE

ID: **31566-31-1**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-06**

%: **0.0000 - 1.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Lubricant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **This substance is a component of finishing oil.**

MAGNESIUM ALUMINUM HYDROXIDE CARBONATE

ID: **11097-59-9**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-06**

%: **0.0000 - 1.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Lubricant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **This substance is a component of finishing oil.**

2,2'-(VINYLENEDI-4-PHENYLENE)BIS(BENZOXAZOLE)

ID: **1533-45-5**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-06**

%: **0.0000 - 1.0000**

GS: **BM-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Brightener**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hazard warnings do not apply as the substance is bound within the fibre.

MACROGOL

ID: 25322-68-3

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE:	2020-09-06
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: No SUBSTANCE ROLE: Lubricant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is a component of finishing oil.

1-TRIDECANOL, DIHYDROGEN PHOSPHATE, DIPOTASSIUM SALT

ID: 68541-11-7

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE:	2020-09-06
%: 0.0000 - 0.1000	GS: NoGS	RC: None	NANO: No SUBSTANCE ROLE: Lubricant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is a component of finishing oil.

1-OCTADECANOL, PHOSPHATE, POTASSIUM SALT

ID: 68987-29-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE:	2020-09-06
%: 0.0000 - 0.1000	GS: LT-UNK	RC: None	NANO: No SUBSTANCE ROLE: Lubricant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is a component of finishing oil.

C12-14 SEC-PARETH-7

ID: 84133-50-6

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE:	2020-09-06
%: 0.0000 - 0.1000	GS: LT-P1	RC: None	NANO: No SUBSTANCE ROLE: Lubricant

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is a component of finishing oil.

SILOXANES AND SILICONES, 3-((2-AMINOETHYL)AMINO)PROPYL ME, DI-ME, HYDROXY-TERMINATED

ID: 75718-16-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-06**

#: **0.0000 - 1.0000**

GS: **NoGS**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Lubricant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is a component of finishing oil. Alternative CAS No. 71750-79-3

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: **Third Party** ISSUE DATE: **2008-05-01** EXPIRY DATE: CERTIFIER OR LAB: **CETEC Pty Ltd**
APPLICABLE FACILITIES: **Auckland, New Zealand**
CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **This material was tested according to ASTM D5116 and is considered as a low-VOC product.**

MULTI-ATTRIBUTE

GreenTag 3.1 - Gold - GreenRate Level A

CERTIFYING PARTY: **Third Party** ISSUE DATE: **2020-02-27** EXPIRY DATE: **2021-02-27** CERTIFIER OR LAB: **Global GreenTag**
APPLICABLE FACILITIES: **Auckland, New Zealand and Melbourne, Australia**
CERTIFICATE URL: <https://www.globalgreentag.com/products/autex-greenstuf-thermal-insulation/>

CERTIFICATION AND COMPLIANCE NOTES: **Product certified to GreenTag Standard v4.0**

MULTI-ATTRIBUTE

ILFI Declare - Red List Free

CERTIFYING PARTY: **Third Party** ISSUE DATE: **2015-07-01** EXPIRY DATE: **2021-07-01** CERTIFIER OR LAB: **International Living Future Institute**
APPLICABLE FACILITIES: **Auckland, New Zealand and Melbourne, Australia**
CERTIFICATE URL: <https://declare.living-future.org/products/greenstuf-acoustic-and-thermal-insulation-product-range>

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Materials ingredients information is based upon the details provided by our suppliers.



MANUFACTURER INFORMATION

MANUFACTURER: **Autex Industries Ltd**
 ADDRESS: **702-718 Rosebank Road**
Avondale Auckland 1026, New Zealand
 WEBSITE: **<https://www.autexglobal.com/>**

CONTACT NAME: **Aidan Hill**
 TITLE: **Group Technical & Sustainability Manager**
 PHONE: **+64 9 828 9179**
 EMAIL: **ahill@autex.co.nz**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.